

REVISION HISTORY					
ZONE	REV	DESCRIPTION	DATE	BY	
-	00	ORIGINAL ISSUE	6/18/15	GCP	





1	5	XXXX-XXXXX-XXXX	HEAD		
1	4	XXXX-XXXXX-XXXX	CYLINDER		
1	3	XXXX-XXXXX-XXXX	GASKET		
16	2	XXXX-XXXXX-XXXX	HEX NUT		
4	1	XXXX-XXXXX-XXXX	THREADED STUD		
QTY	SYM	PART NUMBER	DESCRIPTION		
		BILL OF MATERIA	Ĺ		

UNLESS OTHERWISE NOTED: DIMENSIONS ARE IN INCHES. DIMENSIONS ARE SYMMETRICAL ABOUT CENTERLINES. BREAK CORNERS, REMOVE BURRS. CASTING FILLET RADII 1/8"R CAST CORER RADII: 1/16"R

MACHINING TOLERANCES: FRACTIONS: + 1/64 DECIMALS: +/- 0.010 ANGLES: + 1/2 deg FILLET RADII: 1/32"R MACHINED FINISH: RA 125u in **9,1,/,7**,0 WITHIN 1/64 FIM

ASME CODE CALCULATIONS AND ANY RESULTING ADDITIONAL MATERIAL NEEDED TO REINFORCE SIGHT GLASS OPENING TO MEET ASME CODE IS THE RESPONSIBILITY OF THE VESSEL MANUFACTURER.

THIS DRAWING IS THE SOLE PROPERTY OF THE J.G. PAPAILIAS COMPANY, INC AND NEITHER THE DOCUMENT NOR THE INFORMATION CONTAINED HEREIN SHALL BE COPIED, REPRODUCED, DISCLOSED OR TRANSFERRED EXCEPT AS AUTHORIZED IN WRITING BY AN OFFICER OF THE J.G. PAPAILIAS CO., INC.

MAX RATING: 150PSI/FV@100°F MAX TEMPERATURE: 500°F\*

w. proper gasket selection. Consult Factory

## INCORPORATED 245 PEGASUS AVE, NORTHVALE, NJ 07647 | [201]767-4027 WWW.PAPAILIAS.COM

## MODEL#: ½"LIF

½" 150# FLANGED FULL VIEW SIGHTFLOW INDICATOR

2. Perform ambient temperature hydrotest at 1.5 times operating pressure. 3. All units supplied with a 304 Stainless Steel Tag.

4. Maximum Rating: 150 PSI/FV@100°F

1. Flanged Ends Mate to ½" ANSI 150# B16.5 RF

Notes:

;	DRAWN:	GCP	6/18/15	SIZE	CAGE CODE		DRAWING NUMBER		REV
	CHECKED:	GCP	6/18/15	В	1Z740	)	03L008		0
	APPROVED:	GCP	6/18/15	SCALE: 1:1 EST.		. WEIGHT: 3 LB [2 KG]	SHEE	T: 1 OF 1	